

instant adah lcc.

SPECIFICHE
TECNICHE

TECHNICAL
SPECIFICATIONS



09.08.2020

EVOLVE

instant adah lcc dg.



Adah LCC DG1



Adah LCC DG2

caratteristiche - key features (* optional)

Sistema di erogazione - Brewing system



Boiler and pump system



Energy Saving



LCC System
(concentrated liquid coffee)

Programmazioni - Setting



Adjustable temperature



Adjustable dosage

Erogazione bevande solubili - Instant brewing



Instant System

Sistema di illuminazione - Lighting system



LED Lighting

Interfaccia utente - User interface



Buttons +
2x36 digits display

Pulizia automatica - Automatic cleaning



Easy Cleaning

Rete idrica - Water network



Water connections



Connettività - Connectivity



Chip card for
consumptions monitoring



adah lcc dg1

Type VND-201 DG1

L x P x H W x D x H
200 x 461 x 490 mm
7,87 x 18,15 x 12,29 in

Peso Weight
15 kg / 33,07 lb

Potenza Power
1.300 W

Tensione Voltage
120V / 220-240V

Frequenza Frequency
50-60 Hz

Serbatoio acqua Water tank
2 l / 1 x 0,44 US gallons

BIB liquid coffee
1 x 3 l / 0,79 US gallons

Solubili Instant containers
Not installed

Imballo L x P x H
Master carton W x D x H
265 x 590 x 565 mm
10,43 x 23,23 x 22,24 in

Peso lordo Gross weight
18,5 kg / 40,79 lb

Euro pallet EU pallet
18 unità / units

Container
198 unità / units 20"
432 unità / units 40"



adah lcc dg2

Type VND-201 DG2

L x P x H W x D x H
277 x 461 x 490 mm
10,91 x 18,15 x 12,29 in

Peso Weight
19 kg / 41,89 lb

Potenza Power
1.400 W

Tensione Voltage
120V / 220-240V

Frequenza Frequency
50-60 Hz

Serbatoio acqua Water tank
3 l / 1 x 0,79 US gallons

BIB liquid coffee
2 x 3 l / 0,79 US gallons

Solubili Instant containers
Not installed

Imballo L x P x H
Master carton W x D x H
390 x 590 x 565 mm
15,35 x 23,23 x 22,24 in

Peso lordo Gross weight
23,5 kg / 51,81 lb

Euro pallet EU pallet
12 unità / units

Container
132 unità / units 20"
288 unità / units 40"



adah lcc dg1/1

Type VND-201 DG1/1

L x P x H W x D x H
277 x 461 x 490 mm
10,91 x 18,15 x 12,29 in

Peso Weight
19 kg / 41,89 lb

Potenza Power
1.400 W

Tensione Voltage
120V / 220-240V

Frequenza Frequency
50-60 Hz

Serbatoio acqua Water tank
3 l / 1 x 0,79 US gallons

BIB liquid coffee
1 x 3 l / 0,79 US gallons

Solubili Instant containers
1 x 0,5 kg / 1,10 lb

Imballo L x P x H
Master carton W x D x H
390 x 590 x 565 mm
15,35 x 23,23 x 22,24 in

Peso lordo Gross weight
23,5 kg / 51,81 lb

Euro pallet EU pallet
12 unità / units

Container
132 unità / units 20"
288 unità / units 40"

instant adah lcc ts.



Adah LCC TS1



Adah LCC TS2

caratteristiche - key features (* optional)

Sistema di erogazione - Brewing system



Boiler and pump system



Energy Saving



LCC System
(concentrated liquid coffee)

Programmazioni - Setting



Adjustable temperature



Adjustable dosage

Erogazione bevande solubili - Instant brewing



Instant System

Sistema di illuminazione - Lighting system



LED Lighting

Interfaccia utente - User interface



Touch screen 7"

Pulizia automatica - Automatic cleaning



Easy Cleaning

Rete idrica - Water network



Water connections



Connettività - Connectivity



Cloud Connect



adah lcc ts1

Type VND-201 TS1

L x P x H W x D x H
200 x 461 x 490 mm
7,87 x 18,15 x 12,29 in

Peso Weight
15 kg / 33,07 lb

Potenza Power
1.300 W

Tensione Voltage
120V / 220-240V

Frequenza Frequency
50-60 Hz

Serbatoio acqua Water tank
2 l / 1 x 0,44 US gallons

BIB liquid coffee
1 x 3 l / 0,79 US gallons

Solubili Instant containers
Not installed

Imballo L x P x H
Master carton W x D x H
265 x 590 x 565 mm
10,43 x 23,23 x 22,24 in

Peso lordo Gross weight
18,5 kg / 40,79 lb

Euro pallet EU pallet
18 unità / units

Container
198 unità / units 20"
432 unità / units 40"



adah lcc ts2

Type VND-201 TS2

L x P x H W x D x H
277 x 461 x 490 mm
10,91 x 18,15 x 12,29 in

Peso Weight
19 kg / 41,89 lb

Potenza Power
1.400 W

Tensione Voltage
120V / 220-240V

Frequenza Frequency
50-60 Hz

Serbatoio acqua Water tank
3 l / 1 x 0,79 US gallons

BIB liquid coffee
2 x 3 l / 0,79 US gallons

Solubili Instant containers
Not installed

Imballo L x P x H
Master carton W x D x H
390 x 590 x 565 mm
15,35 x 23,23 x 22,24 in

Peso lordo Gross weight
23,5 kg / 51,81 lb

Euro pallet EU pallet
12 unità / units

Container
132 unità / units 20"
288 unità / units 40"



adah lcc ts1/1

Type VND-201 TS1/1

L x P x H W x D x H
277 x 461 x 490 mm
10,91 x 18,15 x 12,29 in

Peso Weight
19 kg / 41,89 lb

Potenza Power
1.400 W

Tensione Voltage
120V / 220-240V

Frequenza Frequency
50-60 Hz

Serbatoio acqua Water tank
3 l / 1 x 0,79 US gallons

BIB liquid coffee
1 x 3 l / 0,79 US gallons

Solubili Instant containers
1 x 0,5 kg / 1,10 lb

Imballo L x P x H
Master carton W x D x H
390 x 590 x 565 mm
15,35 x 23,23 x 22,24 in

Peso lordo Gross weight
23,5 kg / 51,81 lb

Euro pallet EU pallet
12 unità / units

Container
132 unità / units 20"
288 unità / units 40"

Evolve S.r.l.

Via Papa Giovanni XXIII, 25

27058 Voghera Pavia Italy

Phone: +39 0534 076106

info@evolve.cloud

www.evolve.cloud



VND-201 Adah LCC Version 09.08.2020 Subject to change



...think beyond and evolve!

